

#4

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Michael S. Roberts, et al

Serial No. 10/044,955

Filed: January 15, 2002

For: TREATMENT OF NEOPLASMS WITH VIRUSES

Atty. Ref.: 2370-84

Group:

Examiner:

* * * * *

June 4, 2002

Assistant Commissioner for Patents
Washington, DC 20231

Sir:


RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

In response to the Notice to File Corrected Application Papers (copy attached), mailed April 4, 2002, Applicants attach hereto a substitute specification (103 pages including an abstract and 127 numbered claims) and drawings (5 sheets). No new matter is entered.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: _____


Leonard C. Mitchard
Reg. No. 29,009

LCM:lrm
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100
Attachments.

#9



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/044,955	JUN 04 2002 1/15/2002	Michael S Roberts	2370-84

CONFIRMATION NO. 5046

FORMALITIES LETTER



OC00000007789794

NIXON & VANDERHYE P.C.
8th Floor
1100 North Glebe Road
Arlington, VA 22201-4714

Date Mailed: 04/04/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
 - Papers contain improper margins. *Each sheet must have a left margin of at least 2.5 cm (1") and top, bottom and right margins of at least 2.0 cm (3/4")*
 - Line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (See 37 CFR 1.52(b)).
- Substitute drawings in compliance with 37 CFR 1.84 because:
 - more than one figure is present and each figure is not labeled "Fig." with a consecutive Arabic numeral (1, 2, etc.) or an Arabic numeral and capital letter in the English alphabet (A, B, etc.)(see 37 CFR 1.84(u)(1));

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE